

Vigilancia Meningococo Argentina-INEI-Malbrán 2010

Pais	Año	EdadMeses	Edadaños	Sexo	Diagnostico	SitioAislamiento	Serogrupo	Serotipo	Subtipo	ST	CC	Penicilina	Ampicilina	Ceftriaxona	Rifampicina	Ciprofloxacina	Cloranfenicol	Tetraciclina	TMS
Argentina	2010	384	32	F	Meningitis	LCR	C	15	P1.7	32	ST-32 complex/ET-5 complex	0.03	0.06	0.001	0.03	0.008	1	0.25	
Argentina	2010	6	<1	M	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.06	0.25	0.002	0.008	0.002	0.5	0.06	
Argentina	2010	17	1	F	Artritis	L. articular	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.002	0.5	0.25	
Argentina	2010	11	<1	F	Bacteriemia	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	5	<1	F	Meningitis	LCR	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	96	8	F	Meningitis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	≤0,004	0.002	1	0.12	
Argentina	2010	10	<1	F	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.25	0.5	0.0005	0.06	0.008	1	0.25	
Argentina	2010	36	3	F	Meningitis	LCR	B	NT	NST	9433	ST-865 complex	0.25	0.25	0.002	0.03	0.002	1	0.12	
Argentina	2010	8	<1	F	Bacteriemia	Sangre	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.002	0.5	0.12	
Argentina	2010	456	38	M	Meningitis/sepsis	LCR/sangre	C	2a	P1.5	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.03	0.002	0.5	0.12	
Argentina	2010	4	<1	F	Bacteriemia	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.002	0.008	0.004	0.5	0.25	
Argentina	2010	36	3	F	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.015	0.008	0.001	≤0,004	0.002	0.25	0.12	
Argentina	2010	8	<1	M	Meningitis/sepsis	LCR/sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	≤0,004	0.002	0.5	0.06	
Argentina	2010	600	50	F	Sepsis	Sangre	B	NT	NST	3327	ST-865 complex	0.25	0.125	0.001	0.008	0.002	0.25	0.12	
Argentina	2010	5	<1	M	Meningitis	LCR	B	4	P1.22-1,14	35	ST-35 complex	0.03	0.12	0.001	0.03	0.002	0.5	0.06	
Argentina	2010	24	2	F	Artritis	L. articular	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	≤0,004	0.002	1	0.12	
Argentina	2010	180	15	F	Sepsis	Sangre	W135	2a	P1.5	11	ST-11 complex/ET-37 complex	0.12	0.12	0.002	0.008	0.004	1	0.12	
Argentina	2010	48	4	F	Meningitis	LCR	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.25	0.25	0.001	0.008	0.002	1	0.12	
Argentina	2010	384	32	M	Meningitis	LCR/sangre	B	4	P1.22-1,14	160	ST-35 complex	0.06	0.12	0.001	0.008	0.002	0.5	0.06	
Argentina	2010	2	<1	M	Sepsis	Sangre	B	15	NST	3327	ST-865 complex	0.06	0.12	0.001	0.008	0.002	0.5	0.06	
Argentina	2010	12	1	F	Meningitis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.015	0.001	0.008	0.002	0.5	0.06	
Argentina	2010	39	3	M	Meningitis	LCR	B	15	P1.7,16	1880	ST-32 complex/ET-5 complex	0.03	0.015	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	36	3	F	Meningitis/sepsis	Sangre	Y	NT	NST	6519	ST-23 complex/Cluster A3	0.12	0.03	0.001	≤0,004	0.002	0.5	0.06	
Argentina	2010	4	<1	M	Bacteriemia	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	0.008	0.001	0.5	0.06	
Argentina	2010	15	1	M	Meningitis/sepsis	Sangre	B	15	NST	3327	ST-865 complex	0.25	0.25	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	4	<1	F	Meningitis/sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	0.008	0.002	1	25	
Argentina	2010	4	<1	M	Bacteriemia	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	624	52	F	Meningitis	LCR	B	4	P1.22-1,14	6402	ST-35 complex	0.25	0.5	0.001	0.008	0.002	1	0.12	
Argentina	2010	60	5	M	Meningitis	LCR	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	36	3	F	Sepsis	Sangre	C	4	NST	9440	ST-865 complex	0.06	0.25	0.001	≤0,004	0.002	0.5	0.06	
Argentina	2010	120	10	M	Meningitis/sepsis	LCR	B	15	NST	3327	ST-865 complex	0.25	0.25	0.001	0.008	0.002	0.5	0.06	
Argentina	2010	12	1	M	Meningitis	Sangre	B	NT	NST	3327	ST-865 complex	0.25	0.12	0.001	0.015	0.002	1	0.12	
Argentina	2010	12	1	F	Meningitis/sepsis	Sangre	C	2a	P1.5	11	ST-11 complex/ET-37 complex	0.06	0.06	0.002	0.03	0.004	1	0.25	
Argentina	2010	60	5	M	Meningitis	LCR	B	4	P1.19,15	33	ST-32 complex/ET-5 complex	0.12	0.25	0.001	≤0,004	0.008	0.5	0.12	
Argentina	2010	2	<1	M	Meningitis	LCR	B	4	P1.22-1,14	35	ST-35 complex	0.12	0.25	0.002	0.015	0.008	1	0.12	
Argentina	2010	2	<1	M	Meningitis	LCR	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	792	66	F	Meningitis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	168	14	M	Meningitis	LCR	B	15	NST	9441	ST-865 complex	0.25	0.5	0.001	0.03	0.008	1	0.25	
Argentina	2010	62	5	F	Bacteriemia	Sangre	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	3	<1	F	Artritis- Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	4	<1	M	Sepsis	Sangre	W135	2a	P1.5,2	7579	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	75	6	F	Meningitis	LCR/sangre	B	NT	P1.5,2	103	ST-103 complex	0.12	0.25	0.002	≤0,004	0.008	1	0.25	
Argentina	2010	180	15	M	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.008	0.015	2	0.5	
Argentina	2010	4	<1	M	Meningitis	LCR/sangre	B	NT	P1.22-1,14		ST-35 complex	0.12	0.25	0.002	0.008	0.008	1	0.25	
Argentina	2010	96	8	M	Meningitis	LCR/sangre	C			9442	ST-865 complex								
Argentina	2010	0	<1	F	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.0005	≤0,004	0.008	1	0.25	

Vigilancia Meningococo Argentina-INEI-Malbrán 2010

Pais	Año	EdadMeses	Edadaños	Sexo	Diagnostico	SitioAislamiento	Serogrupo	Serotipo	Subtipo	ST	CC	Penicilina	Ampicilina	Ceftriaxona	Rifampicina	Ciprofloxacina	Cloranfenicol	Tetraciclina	TMS
Argentina	2010	4	<1	F	Meningitis/sepsis	LCR	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.008	0.008	1	0.25	
Argentina	2010	192	16	F	Meningitis	LCR/sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.015	0.008	1	0.25	
Argentina	2010	4	<1	F	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.015	0.008	1	0.25	
Argentina	2010	6	<1	M	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.015	0.008	1	0.25	
Argentina	2010	80	6	F	Sepsis	Sangre	B	1	NST	409	ST-41/44 complex/Lineage 3	0.12	0.25	0.002	0.015	0.008	1	0.25	
Argentina	2010	3	<1	M	Meningitis	LCR	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.004	≤0,004	0.008	1	0.25	
Argentina	2010	5	<1	F	Meningitis/sepsis	Sangre	B	15	P1.19,15	33	ST-32 complex/ET-5 complex	0.12	0.12	0.001	0.008	0.004	1	0.12	
Argentina	2010	7	<1	M	Meningitis	LCR	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.0005	0.015	0.015	1	0.25	
Argentina	2010	36	3	F	Sepsis	Sangre	B	NT	NST	3327	ST-865 complex	0.25	0.5	0.002	0.008	0.008	1	0.25	
Argentina	2010	336	28	F	Sepsis	Sangre	B	1	NST	3327	ST-865 complex	0.12	0.25	0.001	0.03	0.004	1	0.12	
Argentina	2010	53	4	M	Meningitis	LCR	B			3327	ST-865 complex								
Argentina	2010	60	5	M	Meningitis	LCR	B	4	P1.7	35	ST-35 complex	0.06	0.12	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	24	2	F	Sepsis	Sangre	B	1	NST	409	ST-41/44 complex/Lineage 3	0.06	0.25	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	60	5	F	Meningitis	LCR	B	NT	P1.7,2	1880	ST-32 complex/ET-5 complex	0.25	0.5	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	27	2	F	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.25	0.25	0.001	0.015	0.002	1	0.12	
Argentina	2010	6	<1	F	Meningitis	Sangre	B	NT	NST	5983	ST-461 complex	0.25	0.25	0.001	0.015	0.002	1	0.12	
Argentina	2010	588	49	M	Meningitis/sepsis	LCR/sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.004	1	0.12	
Argentina	2010	72	6	F	Sepsis	Sangre	NSA	15	NST	823	ST-198 complex	0.12	0.25	0.0005	0.03	0.004	1	0.25	
Argentina	2010	60	5	M	Meningitis	LCR	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.002	1	0.12	
Argentina	2010	31	2	F	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.25	0.25	0.0005	0.03	0.002	1	0.25	
Argentina	2010	135	11	F	Sepsis	Sangre	Y	NT	P1.5	1624	ST-167 complex	0.03	0.06	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	72	6	M	Bacteriemia	Sangre	B	NT	NST	1946	ST-461 complex	0.06	0.25	0.002	0.03	0.002	1	0.12	
Argentina	2010	65	5	M	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.12	0.12	0.001	0.03	0.002	1	0.12	
Argentina	2010	480	40	M	Bacteriemia	Sangre	B	4	P1.22-1,14	7479	ST-35 complex	0.25	0.25	0.001	≤0,004	0.002	1	0.12	
Argentina	2010	8	<1	F	Sepsis	Sangre	W135	2a	P1.5,2	9434	ST-11 complex/ET-37 complex	0.03	0.03	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	1020	85	M	Bacteriemia	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.002	≤0,004	0.12	1	0.25	
Argentina	2010	12	1	M	Sepsis	Sangre	W135	2a	P1.5,2	9435	ST-11 complex/ET-37 complex	0.015	0.03	0.001	0.008	0.002	0.5	0.06	
Argentina	2010	6	<1	M	Sepsis	Sangre	C	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.004	1	0.25	
Argentina	2010	72	6	M	Meningitis	LCR	B	4	P1.22-1,14	35	ST-35 complex	0.06	0.12	0.0005	0.008	0.004	0.25	0.06	
Argentina	2010	15	1	F	Meningitis	LCR	W135	NT	P1.3	22	ST-22 complex	0.06	0.25	0.0005	0.008	0.008	1	0.25	
Argentina	2010	60	5	M	Meningitis/sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.004	1	0.25	
Argentina	2010	6	<1	M	Meningitis/sepsis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.004	≤0,004	0.008	1	0.25	
Argentina	2010	7	<1	M	Meningitis/sepsis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.0005	0.008	0.004	1	0.25	
Argentina	2010	18	1	M	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.008	0.015	1	0.25	
Argentina	2010	552	46	F	Meningitis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.25	0.5	0.0005	0.008	0.008	1	0.25	
Argentina	2010	9	<1	F	Meningitis	LCR/sangre	B	NT	NST	3327	ST-865 complex	0.25	0.5	0.002	0.008	0.004	1	0.25	
Argentina	2010	552	46	F	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.008	0.004	1	0.25	
Argentina	2010	8	<1	F	Bacteriemia	Sangre	Y	NT	P1.5	1624	ST-167 complex	0.03	0.06	0.001	0.008	0.008	1	0.12	
Argentina	2010	67	5	F	Meningitis	LCR	B	15	NST	3327	ST-865 complex	0.12	0.25	0.0005	0.03	0.004	1	0.25	
Argentina	2010	138	11	F	Meningitis/sepsis	Sangre	W135	NT	NST	3327	ST-865 complex	0.25	0.25	0.001	0.015	0.004	1	0.12	
Argentina	2010	12	1	M	Meningitis	Sangre	B	4	P1.22-1,14	35	ST-35 complex	0.12	0.25	0.001	0.008	0.008	1	0.25	
Argentina	2010	924	77	M	Bacteriemia	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.25	0.5	0.001	0.008	0.004	1	0.25	
Argentina	2010	36	3	F	Sepsis	Sangre	C	4	NST	9440	ST-865 complex	0.25	0.5	0.002	0.015	0.004	1	0.12	
Argentina	2010	84	7	F	Meningitis	LCR	B	15	P1.7,16	9443	ST-32 complex/ET-5 complex	0.25	0.5	0.002	0.008	0.004	1	0.25	
Argentina	2010	72	6	M	Meningitis	LCR	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	≤0,004	0.004	1	0.12	
Argentina	2010	24	2	F	Sepsis	LCR	B	15	P1.7,16	9444	ST-32 complex/ET-5 complex	0.25	0.5	0.001	0.008	0.004	1	0.25	
Argentina	2010	12	1	M	Meningitis	LCR/sangre	B	NT	NST	1946	ST-461 complex	0.25	0.5	0.001	0.03	0.004	1	0.25	
Argentina	2010	72	6	M	Meningitis	Sangre	B	15	P1.7,16	9443	ST-32 complex/ET-5 complex	0.12	0.25	0.002	≤0,004	0.004	1	0.25	

Vigilancia Meningococo Argentina-INEI-Malbrán 2010

Pais	Año	EdadMeses	Edadaños	Sexo	Diagnostico	SitioAislamiento	Serogrupo	Serotipo	Subtipo	ST	CC	Penicilina	Ampicilina	Ceftriaxona	Rifampicina	Ciprofloxacina	Cloranfenicol	Tetraciclina	TMS
Argentina	2010	8 <1		F	Bacteriemia	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.002	0.008	0.004	1	0.25	
Argentina	2010	4 <1		F	Meningitis	LCR	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	3 <1		F	Meningitis	LCR	W135	2a	P1.5	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	0.008	0.002	0.5	0.12	
Argentina	2010	828 69		F	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	0.008	0.002	1	0.25	
Argentina	2010	24 2		M	Sepsis	Sangre	B	NT	NST	3327	ST-865 complex	0.12	0.25	0.002	0.06	0.008	1	0.25	
Argentina	2010	72 6		F	Meningitis	LCR	B	NT	P1.22-1,14	35	ST-35 complex	0.03	0.03	0.001	≤0,004	0.001	0.25	0.06	
Argentina	2010	23 1		M	Meningitis	LCR/sangre	Y	NT	P1.5	1624	ST-167 complex	0.03	0.03	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	8 <1		M	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.03	0.001	≤0,004	0.002	0.25	0.06	
Argentina	2010	168 14		F	Meningitis	LCR	B	15	NST	3327	ST-865 complex	0.06	0.06	0.001	0.015	0.004	1	0.25	
Argentina	2010	936 78		F	Sepsis	Sangre	W135	2a	P1.2	11	ST-11 complex/ET-37 complex	0.03	0.06	0.001	≤0,004	0.004	0.5	0.12	
Argentina	2010	48 4		F	Meningitis	LCR	B	4	P1.22-1,14	35	ST-35 complex	0.12	0.25	0.001	≤0,004	0.004	0.5	0.12	
Argentina	2010	0 <1		F	Meningitis	LCR	B	4	NST	9436	ST-32 complex/ET-5 complex	0.06	0.12	0.002	≤0,004	0.002	0.5	0.12	
Argentina	2010	6 <1		F	Meningitis	LCR	B	1	NST	9437	ST-41/44 complex/Lineage 3	0.06	0.06	0.001	0.03	0.004	1	0.25	
Argentina	2010	204 17		M	Meningitis	LCR	B	NT	NST	3327	ST-865 complex	0.06	0.03	0.001	≤0,004	0.002	0.5	0.06	
Argentina	2010	72 6		F	Meningitis	LCR	B	NT	P1.7,16	1880	ST-32 complex/ET-5 complex	0.12	0.25	0.002	0.008	0.004	0.5	0.25	
Argentina	2010	6 <1		M	Meningitis	LCR	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	≤0,004	0.12	0.5	0.25	
Argentina	2010	6 <1		M	Meningitis/sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.001	0.03	0.004	1	0.12	
Argentina	2010	17 1		F	Meningitis	LCR	B	15	NST	3327	ST-865 complex	0.25	0.25	0.001	0.008	0.004	0.5	0.12	
Argentina	2010	156 13		M	Meningitis	LCR	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.002	0.5	0.06	
Argentina	2010	696 58		M	Meningitis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.015	0.008	0.001	≤0,004	0.002	0.5	0.12	
Argentina	2010	336 28		F	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.0005	≤0,004	0.002	1	0.12	
Argentina	2010	6 <1		F	Meningitis/sepsis	Sangre	B	15	NST	3327	ST-865 complex	0.015	0.03	0.001	≤0,004	0.001	0.5	0.06	
Argentina	2010	6 <1		M	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.004	0.5	0.12	
Argentina	2010	84 7		F	Meningitis	LCR	B	15	P1.22-1,14	3327	ST-865 complex	0.25	0.125	0.001	≤0,004	0.001	0.25	0.06	
Argentina	2010	12 1		M	Meningitis	LCR	B			1880	ST-32 complex/ET-5 complex								
Argentina	2010	1032 86		F	Meningitis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	0.008	0.004	1	0.12	
Argentina	2010	576 48		M	Bacteriemia	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	0.008	0.004	1	0.12	
Argentina	2010	7 <1		M	Meningitis	LCR	W135	NT	NST	22	ST-22 complex	0.06	0.03	0.001	≤0,004	0.004	1	0.12	
Argentina	2010	72 6		M	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.03	0.002	≤0,004	0.004	1	0.12	
Argentina	2010	444 37		F	Sepsis	Sangre	W135	2a	P1.5,2	5036	ST-11 complex/ET-37 complex	0.06	0.06	0.001	≤0,004	0.001	0.25	0.06	
Argentina	2010	624 52		M	Sepsis	Sangre	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.002	1	0.12	
Argentina	2010	4 <1		M	Meningitis	LCR	B	4	P1.7,16	9438	ST-32 complex/ET-5 complex	0.06	0.03	0.0005	≤0,004	0.001	0.25	0.06	
Argentina	2010	120 10		M	Sepsis	LCR/sangre	B	1	NST	9439	ST-41/44 complex/Lineage 3	0.25	0.25	0.001	0.015	0.002	1	0.12	
Argentina	2010	60 5		M	Meningitis	LCR	B	15	NST	3327	ST-865 complex	0.25	0.25	0.001	0.03	0.002	1	0.12	
Argentina	2010	5 <1		M	Meningitis	LCR	B	4	P1.22-1,14	35	ST-35 complex	0.06	0.12	0.001	≤0,004	0.004	0.5	0.12	
Argentina	2010	792 66		M	Artritis	L. articular/Sangre	W135	2a	NST	11	ST-11 complex/ET-37 complex	0.06	0.03	0.001	≤0,004	0.004	1	0.12	
Argentina	2010	312 26		M	Sepsis	Sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.25	0.25	0.001	0.008	0.002	1	0.12	
Argentina	2010	636 53		M	Meningitis	LCR/sangre	W135	2a	P1.5,2	11	ST-11 complex/ET-37 complex	0.06	0.06	0.002	0.008	0.002	1	0.25	
Argentina	2010	7 <1		M	Meningitis	LCR/sangre	B	15	NST	1880	ST-32 complex/ET-5 complex	0.12	0.12	0.001	0.008	0.002	0.5	0.12	